

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 7/27/2023 Version: 6.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

: Mixture Product form

EOS NickelAlloy IN718 Trade name

: 9011-0020 Product code : Allov. Powder Type of product

: 74K9-VPTW-SC8S-UYXD UFI

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Industrial use Main use category

: Heat resistant Nickel alloy for DMLS processes in EOS M systems Use of the substance/mixture

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Electro Optical Systems Finland Oy Lemminkäisenkatu 36 20520 Turku - FINLAND

T +358 (0) 20 765 9144/9147 - F +358 (0) 20 765 9141

MSDSInfo@eos.info - https://www.eos.info/

#### 1.4. Emergency telephone number

**Emergency number** +49 (0) 89 / 893 36 - 0 (8 am - 5 pm);

+49 (0) 89 / 893 36 - 151 (Mon-Thurs 9 am - 12 pm & 1 pm - 6 pm; Fri 1 pm - 4 pm (CET))

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Carcinogenicity, Category 1B H350 H372 Specific target organ toxicity - Repeated exposure, Category 1 Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Signal word (CLP) : Danger Contains : Nickel, Cobalt

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

H372 - Causes damage to organs through prolonged or repeated exposure.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P202 - Do not handle until all safety precautions have been read and understood.

> EN (English) 1/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash before reuse. P308+P313 - IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nickel substance with a Community workplace exposure limit	CAS-No.: 7440-02-0 EC-No.: 231-111-4 EC Index-No.: 028-002-00-7 REACH-no: 01-2119438727-	50 – 55	Carc. 2, H351 STOT RE 1, H372 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Chromium substance with a Community workplace exposure limit	CAS-No.: 7440-47-3 EC-No.: 231-157-5 REACH-no: 01-2119485652- 31	17 – 21	Not classified
Cobalt	CAS-No.: 7440-48-4 EC-No.: 231-158-0 EC Index-No.: 027-001-00-9 REACH-no: 01-2119517392- 44	< 0.24	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 1B, H360F Aquatic Acute 1, H400 M-factor: 10 Aquatic Chronic 1, H410 M-factor: 1
Copper	CAS-No.: 7440-50-8 REACH-no: 01-2119480154- 42	< 0.24	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 M-factor: 1

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

First-aid measures general

: Immediately call a POISON CENTER/doctor. Allow affected person to breathe fresh air. Allow the victim to rest.

EN (English) 2/12

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Get medical advice/attention. Wash contaminated clothing

before reuse.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth. Obtain emergency

medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs through prolonged or repeated exposure. May cause cancer.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Sand.

Unsuitable extinguishing media : Carbon dioxide. Foam. Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide. Nickel monoxide.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. Refer to section 8. Emergency procedures : Keep away from ignition sources. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. refer to section 8.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

olor monodo ana matoriar ior contaminant and olorimity ap

: On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. Take up large spills with pump or vacuum. Collect spill using a vacuum cleaner with a HEPA filter or wet and scoop up dry spills.

#### 6.4. Reference to other sections

Methods for cleaning up

See Section 8. Exposure controls and personal protection.

EN (English) 3/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Avoid dust formation. Provide good ventilation in process area

to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain

special instructions before use.

Hygiene measures : Avoid contact with skin and eyes. Do not breathe dust. Contaminated work clothing should

not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash

hands, forearms and face thoroughly after handling.

Advice on protection against fire and explosion : During processing dust may form explosive mixture in air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store tightly closed in a dry, cool and well-ventilated place. Containers which are opened

should be properly resealed and kept upright to prevent leakage. Keep container closed

when not in use.

Incompatible products : Strong oxidizing agents. Mineral acids. Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

lickel (7440-02-0)		
U - Indicative Occupational Exposure Limit (IOEL)		
Local name	Nickel metal	
IOEL TWA	0.005 mg/m³ (respirable fraction) 0.01 mg/m³ (inhalable fraction)	
Remark	SCOEL Recommendations (2011) (Year of adoption 2011)	
Regulatory reference	SCOEL Recommendations	
EU - Biological Limit Value (BLV)		
Local name	Nickel and nickel compounds	
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs	
United Kingdom - Occupational Exposure Limits		
Local name Nickel		
WEL TWA (OEL TWA) [1]	0.1 mg/m³ and its inorganic compounds (except nickel tetracarbonyl), water-soluble nickel compounds (as Ni) 0.5 mg/m³ and its inorganic compounds (except nickel tetracarbonyl), nickel and water insoluble nickel compounds (as Ni)	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), Carc (nickel oxides and sulphides)(Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), Sen (nickel sulphate)(Capable of causing occupational asthma. See paragraphs 53–56)	
Regulatory reference	EH40. HSE	

EN (English) 4/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Chromium (7440-47-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Chromium metal	
IOEL TWA	2 mg/m³	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Chromium	
WEL TWA (OEL TWA) [1]	0.5 mg/m³	
WEL STEL (OEL STEL)	1.5 mg/m³ (calculated)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	Chromium VI	
BMGV	10 μmol/mol creatinine Parameter: chromium - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Cobalt (7440-48-4)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0.1 mg/m³	
WEL STEL (OEL STEL)	0.3 mg/m³ (calculated)	
WEL chemical category	Capable of causing cancer and/or heritable genetic damage, Capable of causing occupational asthma	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

DNEL/DMEL (Workers)	
Acute – systemic effects, inhalation	680 mg/m³ Nickel
Acute – local effects, inhalation	4 mg/m³ Nickel
Long-term – local effects, dermal	0.035 mg/cm² Nickel
Long-term – systemic effects, inhalation	0.05 mg/m³ Nickel
Long-term – local effects, inhalation	0.05 mg/m³ Nickel
Long-term – systemic effects, inhalation	0.04 mg/m³ Cobalt
DNEL/DMEL (Consumer)	
Acute – systemic effects, inhalation	408 mg/m³ Nickel
Acute – local effects, inhalation	2.4 mg/m³ Nickel
Acute – oral	0.012 mg/kg/day Nickel
Long-term – local effects, dermal	0.035 mg/cm² Nickel
Long-term – systemic effects, inhalation	20 ng/m³ Nickel
Long-term – local effects, inhalation	20 ng/m³ Nickel
Long-term – systemic effects, oral	0.02 mg/kg/day Nickel
Long-term – local effects, inhalation	0.0063 mg/m³ Cobalt
Long-term – systemic effects, oral	0.0095 mg/kg/day Cobalt
PNEC (Water)	
PNEC aqua (freshwater)	0.00051 mg/l Cobalt

EN (English) 5/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PNEC aqua (marine water)	0.00236 mg/l Cobalt
PNEC (Sediment)	
PNEC sediment (freshwater)	9.5 mg/kg dwt Cobalt
PNEC sediment (marine water)	9.5 mg/kg dwt Cobalt
PNEC (Soil)	
PNEC soil	10.9 mg/kg dwt Cobalt
PNEC (Sewage treatment plant)	
PNEC sewage treatment plant	0.37 mg/l Cobalt

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

# Appropriate engineering controls:

Dust must be extracted directly at the point of origin. Use only in well-ventilated areas.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Wear eye glasses with side protection according to EN 166. Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. ESD according to EN 61340-4-3 or equivalent.

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Appropriate material: butyl rubber; nitrile rubber. Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear suitable respiratory protective device with particle filter. Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Grey
Appearance : Powder
Odour : Odourless

EN (English) 6/12

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour threshold : Not applicable Melting point 1350 - 1450 °C Freezing point Not determined Boiling point Not determined Flammability Non flammable Explosive properties Not explosive Oxidising properties Not oxidizing Explosive limits Not applicable Lower explosion limit Not applicable Upper explosion limit : Not applicable : Not determined Flash point Auto-ignition temperature : Not determined Decomposition temperature : Not applicable : Not applicable pΗ : Not available pH solution Viscosity, kinematic : Not applicable Viscosity, dynamic : Not applicable Solubility Not determined Partition coefficient n-octanol/water (Log Kow) : Not available Partition coefficient n-octanol/water (Log Pow) : Not applicable Vapour pressure : Not determined Vapour pressure at 50 °C : Not available Density : 3.8 - 4.5 g/cm<sup>3</sup> (bulk) Relative density : Not determined Relative vapour density at 20 °C : Not determined Particle size : 10 — 53 µm

Relative density

Relative vapour density at 20 °C

Particle size

Particle size : 10 — 53 µm

Particle size distribution

Particle shape

Particle aspect ratio

Particle aggregation state

Particle agglomeration state

Particle specific surface area

Particle dustiness

Not determined

Not available

Spherical

Not available

Not available

Not available

# 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not determined

#### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Heat, open flame, sparks, hot surfaces, ignition sources, elevated temperature. Hydrogen gas may be released in contact with mineral acids. May form an explosive mixture in the presence of air. May form toxic gaseous nickel carbonyle under: high pressure; high carbon monoxide concentration. Spontaneously flammable when finely dispersed. Direct sunlight.

#### 10.5. Incompatible materials

Mineral acids. Oxidizing agents. Strong acids. Strong bases.

EN (English) 7/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# 10.6. Hazardous decomposition products

Toxic fumes. Nickel monoxide. Chromium oxides. Fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

SECTION 11. Toxicological information	
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity (oral) : Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified Not classified
Chromium (7440-47-3)	
LD50 oral rat	> 5000 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 5.41 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 5.41 mg/l Source: ECHA
Cobalt (7440-48-4)	
LD50 oral rat	6171 mg/kg
LC50 Inhalation - Rat	> 10 mg/l (Exposure time: 1 h)
Skin corrosion/irritation :	Not classified pH: Not applicable
Additional information :	Based on available data, the classification criteria are not met
Chromium (7440-47-3)	
рН	6.8 Source: The ECOTOXicology database
Copper (7440-50-8)	
рН	Not applicable
Serious eye damage/irritation :	Not classified
Additional information :	pH: Not applicable  Based on available data, the classification criteria are not met
Chromium (7440-47-3)	
рН	6.8 Source: The ECOTOXicology database
Copper (7440-50-8)	
рН	Not applicable
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity : Additional information :	Not classified  Based on available data, the classification criteria are not met
Carcinogenicity :	May cause cancer.
Nickel (7440-02-0)	
IARC group	2B - Possibly carcinogenic to humans
Chromium (7440-47-3)	
IARC group	3 - Not classifiable
Cobalt (7440-48-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity : Additional information :	Not classified  Based on available data, the classification criteria are not met
Cobalt (7440-48-4)	2.355 S.
NOAEL (animal/female, F0/P)	100 mg/kg bodyweight
	5 5 7 5

EN (English) 8/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Nickel (7440-02-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Chromium (7440-47-3)	
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	≥ 0.0044 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	1216 mg/kg bodyweight/day (Ivankovic, S. and R. Preussman, 1975, Food Cosmet Toxicol.13(3): 347-51)
Aspiration hazard Additional information	Not classified     Based on available data, the classification criteria are not met.

EOS NickelAlloy IN718	
Viscosity, kinematic	Not applicable

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential Adverse human health effects and symptoms

: Harmful in contact with skin, Harmful if swallowed.

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

Chromium (7440-47-3)	
LC50 - Fish [1]	13.9 – 210 mg/l Source: GESTIS
EC50 - Crustacea [1]	13.1 – 14.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.1 – 17.8 mg/l Source: GESTIS
Cobalt (7440-48-4)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
NOEC (chronic)	0.003 mg/l (Exposure time: 28-day, reproduction and survival, Daphnia magna)
NOEC chronic crustacea	≤ 0.05 mg/l (Exposure time: 21-day, reproduction and survival, Daphnia magna)

# 12.2. Persistence and degradability

EOS NickelAlloy IN718	
Persistence and degradability	Not applicable.

#### 12.3. Bioaccumulative potential

EOS NickelAlloy IN718	
Partition coefficient n-octanol/water (Log Pow)	Not applicable

EN (English) 9/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

OS NickelAlloy IN718	
Bioaccumulative potential	Not established
Chromium (7440-47-3)	
Partition coefficient n-octanol/water (Log Pow)	0.23 Source: SRC
Cobalt (7440-48-4)	
BCF - Fish [1]	(no bioaccumulation)

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispo

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			

# 14.6. Special precautions for user

#### **Overland transport**

Not regulated

EN (English) 10/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
27.	EOS NickelAlloy IN718 ; Nickel	

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

### Indication of changes:

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II).

Sources of Key data : Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation

(EC) No 1907/2006 (et sequens).

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	equatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2	

EN (English) 11/12

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
Carc. 1B	Carcinogenicity, Category 1B		
Carc. 2	Carcinogenicity, Category 2		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H302	Harmful if swallowed.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H341	Suspected of causing genetic defects.		
H350	May cause cancer.		
H351	Suspected of causing cancer.		
H360F	May damage fertility.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Muta. 2	Germ cell mutagenicity, Category 2		
Repr. 1B	Reproductive toxicity, Category 1B		
Resp. Sens. 1	Respiratory sensitisation, Category 1		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Sens. 1	H317	Calculation method. Expert judgment	
Carc. 1B	H350	Calculation method. Expert judgment	
STOT RE 1	H372	Calculation method. Expert judgment	
Aquatic Chronic 3	H412	Calculation method. Expert judgment	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 12/12