

Trade name: PA 2200 Product no.: 9012-0014 / 20000061 Current version : 4.1.0, issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

PA 2200

Form

This mixture contains nanoforms (according to REACH regulation).

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Laser sintering

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

EOS GmbH Electro Optical Systems Robert-Stirling-Ring 1 82152 Krailling / München GERMANY Telephone no. +49 (0) 89 / 8 93 36 - 0 Fax no. +49 (0) 89 / 8 93 36 - 22 85

e-mail MSDSInfo@eos.info

Information provided by / telephone +49 (0) 89 / 893 36 - 0

Advice on Safety Data Sheet MSDSInfo@eos.info

1.4 Emergency telephone number

+49 (0) 89 / 893 36 - 0 (8 am - 5 pm) +49 (0) 89 / 893 36 - 151 (Mo - Thu: 9 am - 12 pm & 1 - 6 pm; Fr: 1 - 4 pm) (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP). According to the provisions of the CLP-Regulation (EC) No. 1272/2008, this product is not subject to mandatory labeling.

2.2 Label elements

Not relevant

Labelling information

The product does not require a hazard warning label in accordance with EC Directives.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

This product does not contain substances to be mentioned according to EU Regulation No 1907/2006 (REACH), annex II.



Product no.: 9012-0014 / 20000061

Current version : 4.1.0, issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

3.3 Other information

This mixture contains nanoforms (according to REACH regulation)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Change contaminated clothing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water. After contact with molten product, cool quickly with cold water. Do not pull solidified product from skin. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Seek medical advice immediately. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam; Carbon dioxide; Extinguishing powder; Water spray jet Unsuitable extinguishing media No data available.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Nitrogen oxides (NOx); Combustion products of this material have to be classed invariably as respiratory poison.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid dust formation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.



Product no.: 9012-0014 / 20000061

Current version : 4.1.0, issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Avoid the formation and deposition of dust. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eye wash fountain in work area. Do not inhale dust. Use barrier skin cream. Areas of the skin soiled with dust are to be cleaned with soap and water without delay, as the powder draws the natural moisture from the skin.

Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions Keep container tightly closed and dry.

Requirements for storage rooms and vessels Store product in closed containers.

Incompatible products

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	Dust			
	List of approved workplace exposure limits (WELs) / EH40			
	Dust respirable			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	
	Comments	see Definition	n 44 "Dust"	
	List of approved workplace exposure limits (WELs) / EH40			
	Dust inhalable			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	Comments see Definition 44 "Dust"			
2	titanium dioxide; [not containing 1 % or more of	13463-67-7		236-675-5
	particles with aerodynamic diameter ≤ 10 μm]			
	List of approved workplace exposure limits (WELs) / EH40			
	Titanium dioxide total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) / EH40			
	Titanium dioxide respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	


8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection



Current version : 4.1.0. issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified. Respirator with particulate filter (filter cat. P 3)

Eye / face protection

Safety glasses (EN 166)

Hand protection

Unless otherwise indicated in the chemical risk assessment, following recommendations are made: In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. In case of thermal processing, thermally insulating protective gloves are to be used.

Other

Wear fully closed, flame retardant clothing. Closed ESD safety footwear (ESD according to EN 61340-4-3 or equivalent).

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
solid			
F			
Form			
Powder			
Colour			
white			
Odour			
odourless			
pH value			
Not applicable			
Boiling point / boiling range			
Not applicable			
Melting point/freezing point			
Value		185	°C
Method	EN ISO 11357-1	100	č
Decomposition temperature			
Value	>	300	°C
Flash point			
Not applicable			
Ignition temperature			
Value	DIN 54704	450	°C
Method	DIN 51794		
Comments	iviinimum ignition e	energy wi	th inductance: 100 - 300 mJ
Explosive properties			
Product is explosive.			
Flammability			
No data available			
Lower explosion limit			
Value		30	g/m³
			•

Product no.: 9012-0014 / 20000061

Current version : 4.1.0, issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

	oper explosion limit				
	o data available		_		
	apour pressure ot applicable				
	elative vapour density				
	o data available				
R	elative density				
	o data available				
	ensity				
	alue eference temperature	1.0	-	1.1 20	g/cm³ °C
	blubility in water				
Co	omments	insoluble			
	blubility				
	o data available				
	artition coefficient n-octanol/water (log value o data available	e)			
Ki	nematic viscosity				
No	o data available				
	article characteristics				
	nis mixture contains nanoforms (according to R nomaterials as an additive.	EACH regula	tion). C	Contains	s small amounts of components that are
9.2	9.2 Other information				
	Other information				
No	o data available.				
SEC	TION 10: Stability and reactivity				
10.1	Reactivity No data available.				
10.2	Chemical stability No data available.				
10.3	Possibility of hazardous reactions No data available.				
10.4	Conditions to avoid None, if handled according to intended use.				
10.5	Incompatible materials None, if handled according to order.				
10.6	Hazardous decomposition products No hazardous decomposition products know	n.			
SEC	TION 11: Toxicological information				
11.1	Information on hazard classes as defi	ned in Regu	ulatio	n (EC)	No 1272/2008
A	cute oral toxicity				

No	Product Name
1	PA 2200
Com	ments No data available.

Product no.: 9012-0014 / 20000061

Current version : 4.1.0, issued: 27.01.2023

Region: GB

Acu	Acute dermal toxicity			
No				
1	PA 2200			
Con	ments	No data available.		
Acu	te inhalational toxicity			
	Product Name			
1	PA 2200			
Con	ments	No data available.		
Skir	corrosion/irritation			
No	Product Name			
1	PA 2200			
Con	iments	No data available.		
Seri	ous eye damage/irritation			
	Product Name			
1	PA 2200			
Con	ments	No data available.		
Res	piratory or skin sensitisation			
	lata available			
Gor	n cell mutagenicity			
	lata available			
	roduction toxicity lata available			
INO C				
	cinogenicity			
No	lata available			
STC	T - single exposure			
No	lata available			
STC	T - repeated exposure			
	No data available			
Aspiration hazard				
No data available				
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact may cause mechanical irritation through dust particles.				
Dela	Delayed and immediate effects as well as chronic effects from short and long-term exposure			
	Inhalation of dusts may irritate the respiratory tract.			

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Product Name		
1	PA 2200		
Comments No data available.		No data available.	
Toxicity to fish (chronic) No data available			

Product no.: 9012-0014 / 20000061

Current version : 4.1.0, issued: 27.01.2023



Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

Toxi	Toxicity to Daphnia (acute)		
No	Product Name		
1	PA 2200		
Com	nments No data available.		
Toxi	city to Daphnia (chronic)		
No c	lata available		
Tovi	city to algae (acute)		
No	Product Name		
1	PA 2200		
Corr	nments No data available.		
Tovi	city to algae (chronic)		
	Toxicity to algae (chronic)		
No c	No data available		
Bac	Bacteria toxicity		
No c	lata available		

12.2 Persistence and degradability

Physico-chemical eliminability			
No	Product Name		
1	PA 2200		
		If used properly, this product does not cause problems, on the strength of previous experience.	

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil No data available.

- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.



Trade name: PA 2200 Product no.: 9012-0014 / 200000061

Current version : 4.1.0, issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

14.3 Transport ICAO-TI / IATA The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.

- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH Georg-Wilhelm-Str. 187, D-21107 Hamburg Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

eøs

Trade name: PA 2200 Product no.: 9012-0014 / 20000061 Current version : 4.1.0, issued: 27.01.2023

Replaced version: 4.0.3, issued: 14.11.2022

Region: GB

Prod-ID 611149